# KOSKO WOOD PRODUCTS, INC.

Since 1989

We Pride Ourselves On Our Reputation for Service and Quality



#### Fifth Edition

Hardwood Moldings, Dimension Stock,
Tongue & Groove Products, Mitered Casing Frames,
Doors, Rosettes, Handrail Components and Stair Treads



In Memory of Edward J. Kosko

Casing, Baseboard, Molding, Millwork, Kiln Dried Hardwoods

We are proud to present the Fourth Edition of our product catalog.

Kosko Wood Products is a second generation hardwood lumber company that has always been noted for their quality workmanship and wood products.

We currently supply retail stores, contractors, cabinet manufacturers, finish shops and home owners with a wide variety of high quality hardwood products. Some of the many products we offer include the following:

Hardwood Molding
Specialty Molding
Rosette and Plinth Blocks
T & G Flooring and Paneling
S4S Stock
Glued Panels
Jamb Extensions and Window Sills
Doors- either slab or pre-hung units
Stair Treads, Handrails and Stair Components

We stock many of the profiles listed in our brochure in both Red Oak and Poplar. Our profiles are also available in White Oak, Hard and Soft Maple, Ash, Cherry, Walnut and Hickory.

Kosko Wood Products, Inc. also offers the following services:

Free estimates from your blueprints or take off
Mitered casing frames
Delivery to your job site
Custom tooling to match almost any profile

Please do not hesitate to call us or visit our Mill on Route 119, approximately nine miles North of Punxsutawney, PA.


We Thank You for your interest in Kosko Wood Products, Inc. and are looking forward to serving you with all your hardwood needs.

#### **Table Of Contents**

2 1/4" to 2 5/8" Casing	3
2 1/2" to 3 1/2" Casing	4
3 1/2" to 4" Casing	5
4" to 4 4/16" Casing	6
4 1/2" - 5" Casing	7
3 1/2" to 8" Base	8
4 1/2" to 7" Base	9
5 1/2" to 10 1/4 Base	10
1 3/4" to 2 5/8" Chair Rail	11
3" to 3 1/2" Chair Rail	12
1 3/4" to 3 5/8" Chair Rail	13
3 15/15" to 5 1/4" Crown Mould	14
5 1/2" tp 7 1/2" Crown Mould	15
Panel Mould	16
Panel Mould & Miscellaneous Mouldings	17
Cabinet Components	18
Cabinet Components	19
Handrails	20
Wainscot, Paneling & Flooring	21
Rosette Profiles	22
Special Profiles	23
Mill Terms & Regulation Policy	24

57 Mare Drive • Route 119 South • P.O. Box 197 • Stump Creek, PA 15863 P 814 427-2499


CASING PROFILES



CA 1. 2 1/4" Colonial Casing



CA 2. 2 1/2" Colonial Casing




CA 3. 2 1/4" Ranch Casing




CA 4. 2 1/4" Three Step Casing



CA 5. 2 1/2" Casing



CA 6. 2 1/2" WM 361 Casing



CA 7. 2 1/2" Casing



CA 8. 2 1/2" Sq. Edge Casing




CA 9. 2 1/2" Sq. Edge Beaded Casing




CA 10. 2 5/8" Casing

CASING PROFILES







CA 13. 3" Casing



CA 15. 3 " Beaded Casing



CA 17. 3 1/4" Sq. Edge Casing




CA 19. 3 1/4" Half Round Fluted Casing



CA 21. 3 1/2" Sq. Edge Casing




CA 12. 2 1/2" to 6" Casing/Base



CA 14. 3" to 4" Fluted Casing



CA 16. 3 1/4" Sq. Edge Beaded Casing



CA 18. 3 1/4" Casing




CA 20. 1" x 3 5/16" Casing



CA 22. 3 1/2" Casing

**CASING PROFILES** 



CA 23. 3 1/2" Casing




CA 24. 3 1/2" Colonial Casing




CA 25. 3 1/2" Rounded Casing



CA 26. 3 1/2" Casing



CA 27. 3 1/2" Square Edge Casing



CA 28. 7/8" X 3 1/2" Casing/Apron




CA 29. 3 3/4" Colonial Casing



CA 30. 4" Sq. Edge Beaded Casing

**CASING PROFILES** 




CA 31. 4" Allegheny Casing



CA 32. 4 1/4" Beaded Casing



CA 33. 4" Beaded Casing




CA 34. 4 1/4" to 5 1/4" 748 Casing



CA 35. 4 11/16" Sq. Edge Beaded Casing

**CASING PROFILES** 



CA 36. 4 1/2" Casing



CA 37. 5 1/2" Casing



CA 38. 5" Sq. Edge Beaded Casing



CA 39. 5" Casing


**BASE PROFILES** 

BA 1. 3 1/2" Ranch Base

BA 2. 3 1/2" to 5 1/2" Colonial Base

BA 3. 3 1/2" to 8" OG Base


BA 4. 3 1/2" to 8" Base




BA 5. 3 1/2" Base



BA 6. 3 1/2" Three Step Base




BA 7. 3 1/2" to 11" Base



BA 8. 4 1/2" to 8" Colonial Base


**BASE PROFILES** 



BA 9. 4 1/2" to 5 1/2" USS Base



BA 10. 4 1/2" to 5" Arch. Base



BA 11. 4 1/2" Base



BA 12. 1" x 5" Base



BA 13. 5" Base/Casing



BA 14. 5 1/2" to 7" Stepped Base

**BASE PROFILES** 

BA 15. 5 1/2" to 7 1/4" Base

BA 16. 5 3/4" Base

BA 18. 4" to 8" Base

BA 17. 8" Base

BA 19. 8" Base

BA 20. 8" Base


BA 21. 8" Base

BA 22. Two Pc. Base up to 10 1/4"

**CHAIR RAIL PROFILES** 



CH 1. 13/4" Chair Rail




CH 2. 17/8" Chair Rail



CH 3. 2" Chair Rail




CH 4. 2" Chair Rail



CH 5. 2 1/2" Chair Rail




CH 6. 2 1/2" Chair Rail




CH 7. 2 5/8" Chair Rail


CHAIR RAIL PROFILES



CH 8. 3" Chair Rail with Notch




CH 9. 3 1/2" Rounded Chair Rail




CH 10. 3" Chair Rail




CH 11. 3" Chair Rail



CH 12. 3 1/2" Chair Rail



CH 13. 1" x 3 1/2" Chair Rail



CH 14. 1" x 3 1/2" Chair Rail


CROWN MOULDING PROFILES



CR 1. 1 3/4" Crown Mould




CR 2. 13/4" Crown Mould



CR 3. 13/4" Shaker Crown




CR 4. 2" Crown Mould



CR 5. 2 1/2" Rope Crown



CR 6. 2 5/8" Crown Mould



CR 7. 2 5/8" Crown Mould



CR 8. 3 1/4" Crown Mould




CR 9. 3 1/4" Crown Mould



CR 10. 3 1/4" Bed Mould




CR 11. 3 1/2" Crown Mould



CR 12. 3 5/8" Crown Mould

**CROWN MOULDING PROFILES** 




CR 13. 3 15/16" Crown Mould


CR 14. 4" Crown Mould




CR. 15 4" Crown Mould




CR 16. 4 1/2" Crown Mould




CR 17. 4 1/2" Crown Mould - Roman



CR 18. 4 9/16" Crown Mould



CR 19. 4 7/8" Crown Mould



CR 20. 5 1/4" Crown Mould


**CROWN MOULDING PROFILES** 




CR 21. 5 1/2" Crown Mould




CR 22. 5 1/2" Crown Mould



CR 23. 6" Crown Mould



CR 24. 6 1/2" Crown Mould




CR 25. 7" Crown Mould






PM 100. 1/2" x 3/4" PM 101 13/16" x 9/16" PM 102. 7/8" x 11/16"






PM 103. 3/4" x 1"



PM 104. 5/8" x 1 1/16"



PM 105. 3/4" x 1 3/8"






PM 106. 1 1/8" X 1 1/8" PM 107. 3/4" X 1 1/2"




PM 108. 1/2" x 1 3/8"






PM 109. 5/8" x 1 7/16" PM 110. 11/16" x 1 1/2"



PM 111. 7/8" x 1 1/2"




PM 112. 7/8" x 1 7/8"





PM 113. 13/16" 2 1/8" 114. 3/4" x 3/4" Cove

PANEL MOULD & MISCELLANEOUS MOULDINGS




3 1/2" to 5 1/2" Stair Nosing

**CABINET COMPONENTS** 



FR 1. 2.016" Framing




FR 2. 2.901 Framing




FR 3. 2.375 Framing




FR 4. 2.44" Framing




FR 5. 3" Framing



FR 6. 4 1/2" Framing




CN 1. 3/4" x 1 3/16 Cabinet Nosing



CN 2. 11/16" x 1 11/16" Cabinet Nosing




CN 3. 1 9/16"
Counter Nosing



CN 5. 17/8" Counter Nosing



HR 1. 1/2" X 1 1/8" Beaded Half Round



MT 1. 13/16" x 2" Mantle Trim

CABINET COMPONENTS




CT 1. 1.23" x 1.66" Cabinet Trim



CT 2. 3/4" x 3-3/4" Cabinet Base Trim




CT 2-2. 1" x 4" Cabinet Base Trim



BR1. 6 1/2" Bar Rail




SM 1. Stemware T-Mould




SM 2. Stemware L-Mould


**HANDRAILS** 




6040 15/8" X 13/4" Wall Rail




6042 1 9/32" x 2 1/4" Wall Rail




6010 2 1/4" x 2 3/8" Hand Rail



6400 3" x 2 1/4" Hand Rail




6519 25/8" x 3" Hand Rail



6910 2 5/8" x 2 3/8" Hand Rail


WAINSCOT, PANELING & FLOORING



**ROSETTE PROFILES** 



R-1. 2 3/4" Bulls-Eye Profile




R-2. 2 3/4" Profile



R-3. 3 5/8" Bulls-Eye Profile




R-4. 3 5/8" Profile



R-5. 4" Dish Profile




R-6. 4" Profile




R-7. 5" Large Profile

**SPECIAL PROFILES** 



Profile - A



Profile - B



Profile - C

#### MILL TERMS & REGULATION POLICY

- 1. Prices are subject to change without notice. List prices are based on supplying materials in random lengths. Add 20% to the list price for specified lengths.
- 2. All orders must be placed in advance. we will notify you when your order is complete.
- 3. To avoid errors and allow us to process your order in a timely manner, please submit orders in writing (fax). Verbal orders will be entered on a mill sheet and returned for your approval.
- 4. When ordering, please list the profile number, description, species and lengths required.
- 5. Orders requiring special tooling or non stock material will require a down payment to cover tooling and materials. Special orders are non-returnable
- 6. Orders for non stock profiles under 200 linear feet will require a \$75.00 set up charge.
- 7. All custom tooling becomes property of Kosko Wood Products, Inc.
- **8.** Lead time is dependent upon our mill schedule, availability of species and lengths required, tooling required and other conditions beyond our control.
- 9. Delivery to your area is based on our delivery schedule. A nominal drop off fee will be added to your invoice based on distance and size of order. Please call for delivery schedule and fee to your area.
- 10. Orders not on account must be paid in full when picked up or on delivery.
- 11. Accounts are due net within 30 calendar days (no retainage)
- **12.** A 25% restocking charge will be applied to all returns. Return items other than standard stock will not be accepted under any conditions.
- **13.** Return of any purchased materials must be within 10 calendar days of the purchase. No damaged, soiled, cut or otherwise altered items will be accepted.
- 14. Replacement requests are subject to Kosko Wood Products inspection and approval
- 15. Our liability will not exceed the cost of our product.
- **16.** Shortages or defects on materials must be reported upon receipt and prior to installation or finishing
- 17. Unless otherwise specified, all casing profiles will be 3/4" thick, and all base profiles will be 5/8" thick
- **18.** Do not expose finish grade products to rain or snow while loading or unloading. Water spots will show up after finishing
- 19. Do not subject material to extremely high/low or fluctuating humidity.
- **20.** Do not subject unfinished wood to wet concrete, plaster or drywall; as they will transmit moisture to unfinished wood products. Moisture will cause swelling, warpage or joint separation.
- **21.** Do not expose unfinished wood products to excessive heat, dryness or sudden temperature changes, such as firing up a furnace
- 22. Please be aware that all wood products may require some preparation (sanding), before finishing
- 23. Wood products are derived from the various species of trees which are a natural resource. Natural wood products will have color variations, mineral stains and the grain will not always be uniform. Natural wood may not accept a stain or finish evenly. When installing natural wood products, it is advisable to lay out all materials prior to installation so that you can match the colors and grains. This process will also allow you to select the proper lengths.